

Web Images Maps News Video Gmail more ▾

Sign in



[Advanced Search](#)
[Preferences](#)

Web

Results **1 - 20** of about **16,000** for **independent platform test script metadata**. (0.20 seconds)

Web QA Test Tool Links

Can also manage **meta data** and create automtated **test scripts** to **test Test scripts** are browser and **platform independent** and tolerant to GUI changes. ...

www.apitest.com/webresources.html - 48k - [Cached](#) - [Similar pages](#)

Open source performance testing tools

Metadata constraints are imported from systems and/or configuration files. ... Requirement: **Platform Independent**. Download data: No data feed available ... To run a load **test**, you first create a **test script** using our **script** editor. ...

www.opensourcetesting.org/performance.php - 34k - [Cached](#) - [Similar pages](#)

[PDF] SpeechRecorder -- a Universal Platform Independent Multi-Channel ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

SpeechRecorder is a **platform independent** audio recording software for speech corpus recordings. consists of a **meta-data** section and the **script** according to will perform a public beta **test** during the summer of 2004 ...

www.lrz-muenchen.de/~EKN/pdf/mvp_drax.pdf - [Similar pages](#)

by C Draxler - [Cited by 9](#) - [Related articles](#) - [All 11 versions](#)

Re: [testing] Peace (was: Re: svn commit: r419522 - in /incubator ...

Jul 24, 2006 ... I think using **metadata** in tests vs. physical **test** location wins. ... TestNG or my own **script**) must understand "word" > mark-up instead of just If adding new **platform**-specific tests is "**independent** of the need to ...

mail-archives.apache.org/mod_mbox/.../%3C2c9597b90607240825h5e924809ucaa1932...

- 17k - [Cached](#) - [Similar pages](#)

(WO/2005/071543) METHOD AND SYSTEM FOR CONVERSION OF AUTOMATION ...

Title: METHOD AND SYSTEM FOR CONVERSION OF AUTOMATION **TEST SCRIPTS** INTO ABSTRACT ... in essence provides a **platform independent** representation of **test** cases. ... by specific object information from an application **metadata** repository. ...

www.wipo.org/pctdb/en/wo.jsp?wo=2005071543 - 17k - [Cached](#) - [Similar pages](#)

by J WEST - 2005 - [All 7 versions](#)

2003 Metadata.fm7

Generate **platform** interfaces, code, **test scripts**, deployment **Meta-data** 06/03.

Automating bridges. **Platform-independent** model ...

www.damauk.org/2003Metadata.pdf - [Similar pages](#)

[PDF] Achieving High Availability for the SAS®9 Metadata Server

File Format: PDF/Adobe Acrobat

At the heart of the SAS Intelligence **Platform** is the SAS **Metadata**. Server. ... That is, requests to the server are **independent** and do not require the Each package has a run **script** and a halt **script** associated with it. ... The **test** client detected the failure of the SAS **Metadata** service by a loss of the TCP/IP ...

www2.sas.com/proceedings/sugi31/002-31.pdf - [Similar pages](#)

by S Holzworth

XeniaSOS - xenia - SOS (Sensor Observing Service) related Xenia ...

It would be good to see in addition to a service registry, a **test script** or ... SOS service is that the **platform metadata** regarding **platform** start_dates are ...

code.google.com/p/xenia/wiki/XeniaSOS - 25k - [Cached](#) - [Similar pages](#)

Metronome Users | NMI Build and Test Lab

Jan 10, 2008 ... All **platform-independent** tasks in a run are executed on the submit host ... archive in the NMI framework: a full archive and a **metadata**-only archive. ... If you don't treat your build **scripts** as code, and archive, tag, ...

nmi.cs.wisc.edu/taxonomy/term/1 - 27k - [Cached](#) - [Similar pages](#)

[PDF] Adobe Extensible **Metadata Platform** in Newspapers and News Magazines

File Format: PDF/Adobe Acrobat

Adobe XMP: an extensible **metadata platform** built on the standards of users and provide a foundation for **independent** consultants and software development compa- ... simple level, this means having machines that **test** values of properties and ... **Script** reads. XMP properties and sets corresponding database fields ...

www.adobe.com/products/xmp/pdfs/xmp_news-mags_wp.pdf - [Similar pages](#)
[PDF] Page 1 Biodiversity Information Standards (TDWG) <http://www.tdwg.org> ...

File Format: PDF/Adobe Acrobat - View as HTML

Dec 21, 2007 ... Preparation – **Platform Independent** Steps What RDF representation will be used to express LSID **metadata** ... You can check the versions of these Perl packages you have installed by running the **test script** ...

www.tdwg.org/uploads/media/TDWG-LSID-Setup-Guide-Perl.pdf - [Similar pages](#)
hywy's PE:J - The Productivity Environment for Java by Gopalan ...

Forward Engineers Java Source, JSP Applications, **Test Scripts**, and RDBMS Schemas ... Is **platform independent**. Will scale to very large deployments through ... Extensible Markup Language (XML), XML **Metadata** Interchange (XMI), and CORBA. ...

pejava.tripod.com/ - 38k - [Cached](#) - [Similar pages](#)
LNCS 3163 - DL Architecture for Indic **Scripts**

Platform Independent Representation: Indic **script** data is stored in ... OCR and **meta-data** extraction to generate XML representations of newspapers. ... Text Processing (TexP): Routines in the TexP unit are used to **test** linguistic ...

www.springerlink.com/index/UD62TLH0CDM6W3WY.pdf - [Similar pages](#)
by S Kompalli - 2004 - [Related articles](#)[PDF] **Test Script 17**: Audit verification

File Format: PDF/Adobe Acrobat - View as HTML

the date and time of a change made to any **metadata** associated with electronic folders

Independent Travel \ Traveling at Night \ DocLG01. Notes on **test script 17** – Audit

where this is appropriate for the **platform** supported ...

www.nationalarchives.gov.uk/documents/ts17_ts20.pdf - [Similar pages](#)
HandBrake • View topic - EyeTV **metadata** parsing

5 posts - 2 authors - Last post: Jan 28

But if I add a source file to the **test** directory to do this then it can't be ... to the merits of each route from a **platform independent** perspective. ... but it'd be a straightforward bash (or whatever) **script** to get the ...

forum.handbrake.fr/viewtopic.php?f=4&t=8814 - 16k - [Cached](#) - [Similar pages](#)
Complete Dose of Linux Poison: List of OpenSource Performance ...Jul 23, 2008 ... **Metadata** constraints are imported from systems and/or configuration files.

... To run a load **test**, you first create a **test script** using our **script** editor. ... **Platform**

Independent (Binaries for Linux and Windows) ...

linuxpoison.blogspot.com/2008/07/opensource-performance-testing-tools.html - 89k -

[Cached](#) - [Similar pages](#)
Data processing: software development, installation, and ...20080295067 - Flexible access to metamodels, **metadata**, and other program

Independent test scripts can be used to **test** screens of the software application. Them method can include mapping elements of a **platform independent** ...

www.freshpatents.com/Data-processing--software-development-installation-and-management-di200811ntc717.php - 80k - [Cached](#) - [Similar pages](#)
[PDF] SOA Development Using the IBM Rational Software Development ...

File Format: PDF/Adobe Acrobat - View as HTML

and are **platform-independent**, making it easier for businesses to automate ... **meta data** describing the service. The Reusable Asset Specification (RAS), an Several commercial solutions exist to automate **test scripts**. ...

[ftp://ftp.software.ibm.com/software/rational/web/whitepapers/G507-0956-00.pdf](http://ftp.software.ibm.com/software/rational/web/whitepapers/G507-0956-00.pdf) -

[Similar pages](#)
by A Brown - 2005 - [Cited by 2](#) - [Related articles](#)

Gui Testing

Each run of the **test script** should be **independent** of all others: you ... choose values based on min/max **meta-data** for the controls, etc. So it's just an API for the development of - **platform independent** - ScreenScraper utilities. ...
c2.com/cgi/wiki?GuiTesting - 38k - [Cached](#) - [Similar pages](#)

bimethods, inc. Business Intelligence, Data Warehousing, Metadata ...

Independent Validation & Verification ... System **Platform**. · Stress Testing. · Performance Testing ... bimethods follows a default workflow for the **Test** discipline over the course of a typical iteration in an ... **Test** Development: **Test** Procedures, **Test** Scenarios, **Test** Cases, **Test Scripts** to use in testing software. ...
www.bimethods.com/content.asp?CatId=270&ContentType=Practice-Areas - 41k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)